

ROOF ROLLER BLIND SCREEN SKY





1. CONTROL

Roller blind control

CONTROL DESCRIPTION

Pull down the roller blind by pulling the bottom profile and securing with bottom hooks.

Control of roof roller blind is directly dependent on opening and closing of roof window.

By opening the window the roller blind is proportionally pulled up and vice versa by closing the window the roller blind is fully pulled down.

2. MAINTANANCE

This product does not need any special maintenance and lubrication of control mechanism.

If the roller blind is very unclean (dusty) use light brushing or vacuum cleaner set on low performance.

Use regularly smooth damp piece of cloth or sponge for usual dirt. Use only soap solution without chemical additives and max. 30°C water. Do not use any aggressive cleaners like organic thinners, dissolvent, cleaning sands, cleaning pastes, steam generator and strong alkaline cleaners.

Validity of the manual: 1. 6. 2015





WARNING:

Care about soft cleaning of textiles to avoid its scratching or other damage.

While cleaning windows adjust the roller blind into such position which avoids its damage and does not block the cleaning process.

Protect the roller blind against dirt during constructions.

Validity of the manual: 1. 6. 2015



3. SAFETY INSTRUCTIONS


- Do not manipulate with the roller blind by force if it is blocked with an obstacle snow, ice.
- Do not hang any subjects onto the roller blind.
- Avoid any mechanical exertion and other damage of the roller blind.
- Use the roller blind carefully, especially during cleaning.

WARNING:

If some failure or mechanical damage occurs, avoid further use of the roller blind.

NOTES:

- In case the product does not work contact your seller or assembly company which fit the roller blind.
- Illustration of the product does not necessarily meet the real product in all details. Producer reserves the right for change.
- When the lifetime of the roller blind expires do not throw it into municipal wastes. You can separate particular
 materials used and those can be handed over in accordance to the valid prescription about wastes and
 environmental protection. You can get the information about wastes collection places at local Authority office.



IMPORTANT WARNING

According to the norm EN 13 120 we can warn you about possible danger which can arise from using control cords and chains.

Validity of the manual: 1. 6. 2015